

CENTRAL RECRUITMENT BOARD, BANGALORE.

Notification No. 4496—C. R. B., dated 26th November 1937.

In accordance with the Revised Rules of Recruitment, issued with Government Order No. 6-105—C. R. B., 1-34-1, dated the 3rd July 1934 and published in Part I of the *Mysore Gazette*, dated the 5th July 1934, the approved lists of eligible candidates in the relative order of preference, for admission to the Subordinate Services of Government, in respect of the kind of appointments in the Unit Office, mentioned below are hereby published for information.

Kind and Class of Appointments:—Steno-typists and Typists.

Unit Office:—The Traffic Manager, Mysore Railways, Mysore.

"B" or "Special" List.

1. M. C. Thimmappaji, Cubbonpet Main Road, Door No. 58, Purohit Thimmiah's House, Bangalore City.

Notification No. 4483—C. R. B., dated 26th November 1937.

Kind and Class of Appointments:—Mistresses, Kannada or General Primary Girls' Schools—Class II.

Unit Office:—The School Board Officer, Tumkur Town School Board Area, Tumkur.

"A" or "General List".

1. N. V. Sakamma, 43, Kankanhalli Road, Basavangudi, Bangalore City.
2. B. Sharadamma, care of B. S. Varadarajjenger, Belikere Post.

"B" or "Special List".

1. S. Kruparathnamma Manuel, care of Mr. S. E. Manuel, District Office, Tumkur.
2. G. Gangamma, District Normal School, Tumkur.
3. P. Papamma, care of Sampangi Ramappa, Pavagada.

By Order,

H. NIRANJANRAJ URS,

Secretary,

Central Recruitment Board.

BUILDINGS DIVISION, BANGALORE.

Notification dated 13th December 1937.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Buildings Division, up to 3rd January 1938 up to 2-30 P.M., for improvements to the Electro-plating and Screw making Sections of the Electric Factory, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of February 1938.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office, Buildings Division, Bangalore, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 300 in cash or Government Promissory Notes, as earnest money, and be superscribed "tender for improvements to Electro-plating and Screw making Sections of the Government Electric Factory, Bangalore," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract of estimate for improvements to Electro-plating and Screw making Sections in the Government Electric Factory, Bangalore.

No.	Description of work	Unit	Contents	Rate
				Rs. a. p.
1	Dismantling Mangalore tiled roof with Mangalore tiles cement pointed including stacking them carefully	Sqr.	30.00	1 8 0
2	Removing and stacking wooden couples 30 ft. span middle portion including collars	No.	39	1 0 0
3	Dismantling and stacking ridge pieces 3"×5" and purlins	R.ft.	210	0 1 0
4	Dismantling and stacking Bt. stone slabs 6" thick	Sq.ft.	720	0 1 0
5	Excavating foundation by the side of wall to fix burnt stone slab pillars every 10 ft. apart	Cyd.	36	0 3 0
6	Stone jelly in lime mortar concrete granite stone jelly mortar (1:2) concrete (1:2)	C.ft.	324	0 3 0
7	Stone in lime mortar foundation and in superstructure with necessary thru bond stones at 6' apart	C.ft.	2,052	0 4 0
8	Brick in clay over walls with bond stones, etc., complete	"	3,717	0 3 0
9	Burnt stone slabs 6" thick two line dressed on exposed faces and one line dressed on either sides fixed in lime mortar	Sq.ft.	108	0 6 0
10	Fixing released burnt stone slabs for pills and lintels of windows	"	90	0 1 0
11	Plastering with lime mortar plaster	Sqr.	53.71	3 0 0
12	Providing, hoisting and fixing steel trusses 30 ft. span as per approved design including painting with anti-corrosive paint, etc., complete	Cwt.	99	15 0 0
13	Fixing released purlins and ridge piece 3"×5" including wood oiling, etc.	R.ft.	487	0 1 0
14	Providing and fixing T. W. couples 3"×5" out of released wood including wood oiling, etc., complete	C.ft.	338	1 0 0
15	Roofing with new Mangalore tiles with T. W. reepers 2"×1"	Sqr.	67.40	24 0 0
16	Providing and fixing ridge tiles	R.ft.	168	0 2 6
17	Providing and fixing Mangalore pattern glass tiles	No.	50	2 8 0
18	Eave board around as per approved design	R.ft.	509	0 6 0
19	Cement pointing with cutting lines	Sqr.	30.24	3 4 0
20	Painting with two coats of Lac Factory Paint	"	9.75	4 0 0
21	White and colour washing	"	100	0 4 0
22	Repairs to cement flooring with 3" lime concrete, 1 1/2" cement concrete and cement plastering	"	1.81	20 0 0

B. R. GARUDACHAR,

Executive Engineer.

OFFICE OF THE ASSISTANT ENGINEER, HEADQUARTER RANGE, MYSORE.

Notification dated 12th December 1937.

1. Sealed tenders will be received at the Office of the Assistant Engineer, Headquarter Range, Mysore, up to 12 noon on 3rd January 1938 for constructing Rearing Rooms Block on the Silk Farm Buildings, Mysore.

2. Tenders in the prescribed form obtainable from the Office of the Assistant Engineer, Headquarter Range, Mysore, on payment of rupee one for each form, should be addressed to the Assistant Engineer, Headquarter Range, and should be superscribed as "Tender for constructing Rearing Rooms Block of the Silk Farm Buildings, Mysore." The name of the tenderer should also be superscribed on the sealed cover.

3. Each tender must be accompanied by a deposit of Rs. 530 only in cash as earnest money. The earnest money of the successful tenderer will be retained as cash security for the due fulfilment of the contract. (Cash amount will not carry any interest.) In case of the acceptance of the tender an addition of the five per cent of the estimated amount as security deposit should be paid at the time of executing the agreement in the Public Works Department Form.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 3rd January 1938 at 4 p.m. The final acceptance of the tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reasons whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Assistant Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute the agreement in the departmental schedule contract form, for the due fulfilment of the contract.

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. Copies of contract documents, estimates and drawings may be seen at any time at the Office of the Assistant Engineer, Headquarter Range, Mysore, on all working days, between 11 a.m. and 5 p.m.

8. Specific rates should be given for each item in the schedule and the rates should be in rupees, annas and in multiples of three pies and expressed in words and figures.

9. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer will not be taken notice of. The rates tendered should include all such lumpsum items.

10. No alterations which are made by the tenderers in the contract documents in the nomenclature of the sanctioned sub-heads will be recognised and if corrections are made, the tenders will be liable to rejection.

11. There should be no corrections or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

12. No reference should be made to the Public Works Department current schedule of rates.

13. On the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof or in the event of absence of any partner, it must be signed on his behalf by a person holding power of attorney authorising him to do so.

14. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates to be proposed by the Assistant Engineer, Headquarter Range, Mysore, and approved by the Superintending Engineer shall be final and legally binding on the tenderer.

15. The quantities as estimated are only approximate and are liable to alterations, omissions, deductions or additions, at the discretion of the Assistant Engineer or his representative. The tendered rates will hold good for any quantity whether higher or lower than those estimated for.

16. The work should be completed as per departmental specifications for different items and handed over to the Public Works Department by the end of March 1938, failing which the Assistant Engineer may, at his discretion, levy a penalty up to Rs. 50 per day, which will be recovered from the contractor's outstandings for the period exceeded by him till the work is completed and handed over.

17. In all matters of dispute of any kind, not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief Engineer, shall be final and legally binding.

18. The earnest money of rejected tenders will be returned on surrender of the receipts originally granted, along with an application to the Assistant Engineer, Headquarter Range, Mysore.

19. No claims for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reason for such delays. Contractors should bear this in mind when tendering for work. Extension of time due to delays caused by the departmental officers will however be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools, plant and machinery that will be supplied by the Assistant Engineer, in the interest of the work, shall be accepted by the tenderer at the rates fixed by the Assistant Engineer and the tenderer will pay the hire, etc., on machinery at the prescribed per cent per annum of the booked value of the tools and plant supplied from the date of taking over of tools and plant from the Stores to the date of return to the Stores, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractors should arrange for the payment of royalty and tolls.

Note.—(A) The contractor should at his own cost—

- (1) provide rods, stakes, ropes and labours required in setting out the works,
- (2) provide all necessary scaffolding, centering labour and appliance for hoisting,
- (3) provide mortar mill and shed to keep materials under cover and also for workmen,
- (4) arrange for protecting work during inclement weather,
- (5) supply requisite temporary lights, water cisterns, water-shoots, coverings to masonry, tile pieces to steps, sieves, parabs or measures, shoring and other requisite protection during the progress of the work,
- (6) supply all water required for work and workmen and shall provide latrines, drainages, etc.
- (7) clean away all dirt, rubbish, superfluous materials and debris as they accumulate,
- (8) provide arrangements for pumping and bailing from excavations and foundations, wherever and whenever necessary with their own pumping apparatus, including necessary leading drains, slump pits, etc.,
- (9) wash floors at completion and leave the whole of the work and premises in a clean and orderly condition, etc.,
- (10) afford facilities to any other parties employed upon the work, so that their work may proceed during the progress of the contract and give such persons the use of ordinary scaffolding and ladders.

Note.—(B) It is the business of the contractors to make their own arrangements for the quarries and supplies of materials.

23. The rates for wood-work for all works quoted should be based on the rates of the departmental supply as noted below. Only Mysore teak selected from the Mysore Government Depots must be used.

24. Work to the extent of Rs. 4,000 will have to be carried out each month.

Prevailing Government rates at Mysore Forest Depot for Mysore teak is as follows:—

	Rs. a. p.
(1) Selected 1st class logs ..	2 8 0 per c.ft.
(2) Cut scantling of sizes 3"×4" ..	3 4 0 "
(2a) Do 3"×5" to 4"×7" ..	3 12 0 "
(3) Planks 1" to 1½" to required sizes ..	4 8 0 "

Approximate estimate of quantities for constructing Rearing Rooms Block of the Silk Farm Buildings, Mysore, 1937-38.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
1	Earthwork excavation for foundation in hard gravelly soil and filling in basement with watering and tamping, etc., complete ..	C.yd.		199	
2	Filling in foundation with broken granite stone jelly concrete in lime mortar in layers not more than 6" thick including watering and tamping, etc. ..	C.ft.		1,057	
3	Filling in foundation and basement with burnt brick in ohunnam mortar ..	"		3,626	
4	Burnt brick in mud for superstructure ..	"		5,414	
5	Providing and fixing cement concrete slabs over basement ..	"		420	
6	Burnt stone slabs 6" thick, two line dressed and fixed in mortar ..	S.ft.		20	
	Providing and fixing Honney wood doors of frames 3"×4½" battened shutters 1½" thick with iron fixtures such as hasps and staples, iron hinges and lower bolts, etc., complete ..	S.ft.		250	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
8	Providing and fixing Honne wood windows with battened shutters and $\frac{3}{4}$ " thick iron bars with iron fixtures etc., complete	S.ft.		270	
9	Providing and fixing R.S. girders of B.S.S. (tested) including hoisting and with one coat of anti-corrosive paint, etc., complete	Cwt.		55.00	
10	Burnt brick in lime mortar, arch work	C.ft.		28	
11	Chunnam plastering $\frac{1}{2}$ " to $\frac{3}{4}$ " thick and finished smooth	Sqr.		104.97	
12	White and colour washing, two coats	"		104.97	
13	Roofing with reinforced cement concrete and brick terrace (R.C.C. to be of broken granite jelly 1:2:4) with $\frac{3}{8}$ " diameter reinforcement bars for spans less than 10' placed at $4\frac{1}{2}$ " apart centre to centre and with negative moment and distribution bars and 2" cross and longitudinal joints and with 3" layer of surki concrete and then 2" of cement stone jelly concrete including two courses of flat tiles and $\frac{1}{2}$ " thick top and ceiling plaster and white washing with coving as per design, etc., complete	"		40.20	
14	Providing R.C.C. Chajja 6' wide, $4\frac{1}{2}$ " to 6" thick with necessary reinforcements and R.C.C. brackets at every 8' with angle iron frames, etc., complete	S.ft.		441	
15	Constructing parapet wall as per design $\frac{3}{4}$ ' thick and $1\frac{1}{2}$ ' high with burnt brick in mortar and plastering and white or colour washing, etc., complete	R.ft.		308	
16	Chocolate painting, two coats	Sqr.		11.08	
17	Flooring with $1\frac{1}{2}$ " cement concrete (1:2:4) jelly to be of granite metal over 3" lime concrete with topping of red cement $\frac{1}{4}$ " thick finished with ironite $2\frac{1}{2}$ lbs. per square and cut to tile pattern, if required all corners rounded, etc., complete	Sqr.		33.01	
18	Providing and fixing in cement 4" diameter zinc sheet rain water spouts	Each		16	
ALTERNATIVE ITEMS.					
1	Roofing with reinforced joists (as per specifications and brick nogged terrace with 4" Kappi in quick lime, with two courses of flat tiles; top and ceiling plastered $\frac{1}{2}$ " thick including white washing ceiling, etc., with coving as per design, complete	Sqr.		40.20	
2	Constructing pillars with burnt brick in mortar ($1\frac{1}{8}' \times 1\frac{1}{8}' \times 10'$ height) including cement concrete bond slabs at every 4' intervals, including plastering and moulding, white or colour washing, etc., complete	Each		No. 18	
3	Painting with silicate grey paint, two coats	Sqr.		11.08	

M. A. RAMANUJAM,
Assistant Engineer